



# हरिहरपुरगढी गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

इनझने, सिन्धुली  
बागमती प्रदेश, नेपाल



प.सं. २०८२/०८३

सू.नं. १०५

## कृषि सामग्री/औजार उपकरणहरूको दररेट पेश गर्ने सम्बन्धी सूचना

प्रथम पटक प्रकाशित मिति: २०८२/११/१०

हरिहरपुरगढी गाउँ कार्यपालिकाको कार्यालय, इनझने सिन्धुलीको आ.व. २०८२/८३ को वार्षिक स्वीकृत कार्यक्रम अनुसार विभिन्न कृषि प्रवर्द्धन/कृषि विकास कार्यक्रम सञ्चालनार्थ कृषकहरूको माग तथा स्वीकृत बजेटको परिधि भित्र रही विभिन्न कृषि सामग्रीहरू अनुदानमा उपलब्ध गराउने प्रयोजनका लागि मौजुदा सूचीमा सूचीकृत भएका कृषि सामग्री/औजार उपकरणहरू आपूर्ति गर्न इच्छुक न्यूनतम योग्यता पुगेका आधिकारिक उत्पादक/बिक्रेता/फर्महरूले सम्बन्धित सामग्रीहरूको आपूर्ति गर्ने आपूर्तिकर्ताहरूबाट दररेट बजार मूल्यमा फरक नपर्ने गरी लागत अनुमान तयार गर्ने प्रयोजनको लागि सूचना प्रकाशित भएको मितिले १५ औं दिन (२०८२/११/२५ गते) सम्ममा कार्यालय समय भित्र उल्लेखित कागजातहरू सहित दररेट विवरण पेश गर्नुहुन यो सूचना प्रकाशन गरिएको छ। कृषि सामग्रीहरूको स्पेशिफिकेसन र दररेट पेश गर्ने फाराम यस कार्यालय तथा कार्यालयको वेबसाइट <https://hariharpurgadhimun.gov.np> बाट डाउनलोड गरी प्राप्त गर्न सकिने छ।

दररेट पेश गर्ने निकाय: हरिहरपुरगढी गाउँकार्यपालिकाको कार्यालय, इनझने, सिन्धुली

### आवश्यक कागजात तथा शर्तहरू:

१. आधिकारिक सहिष्णप सहितको निवेदन,
२. आधिकारिक सहिष्णप सहितको निर्धारित ढाँचा बमोजिम भरिएको दररेट विवरण,
३. फर्म/संस्था/कम्पनी दर्ता तथा नविकरणको प्रमाण पत्र, मूल्य अभिवृद्धि कर (भ्याट)/प्यान दर्ता प्रमाण पत्रको प्रतिलिपि,
४. आ.व. २०८१/८२ को कर चुक्ता तथा लेखा परिक्षणको प्रमाणित प्रतिलिपि,
५. कम्पनीको हकमा कम्पनी रजिष्टार कार्यालयबाट गरिने कम्पनी अध्यावधिक भएको पत्र।

सन्तोष सुवेदी  
प्रमुख प्रशासकीय अधिकृत





S.N.	Name of Implements With Description	Technical Specification	Supplier's specification	Per Unit Rate (In Figures)	Per Unit Rate (in Words)
1	<b>Manual operated push seeder</b>				
	General	Manual operated push seeder, suitable for planting maize, giving smooth economic performance.			
	Number of rows	Single row			
	Seed Metering Mechanism	Plate type (seed plate with specific holes for maize seed)			
	seed spacing	Adjustable, typically 15 cm to 30 cm			
	Depth	2.5 cm - 3.5 cm			
	Hopper Capacity	2-5 kg			
	Wheel type	Ground wheel-driven (for metering): rubber wheels			
	Field Capacity	not less than 0.1 ha/hr			
	<b>Power Weeder</b>				
2	Brand/model	Make: 2025 or latest model ; Brand ; Model : any			
	General	A power weeder is used to remove weeds and till the soil efficiently, reducing manual effort and improving crop productivity.			
	Engine	Single cylinder, four-stroke, Petrol engine, Maximum power not less than 2 kW at rated speed.			
	Starting type	Recoil/ Electrical starter			
	Transmission system	Gear drive			
	Displacement(ml(cu.in))	not less than 50 CC			
	Fuel tank capacity	not less than 1 L			
	Blades	minimum 24			
	Tilling Depth	100mm or above			
	Tilling width	550 mm or above			
Warranty	1 year of warranty				

  
 Er. Balgopal Sigdel  
 NEC No.: 228 Agriculture 'A'



Combine mill	any	
Make and model	any	Application in both milling of cereals such as rice, wheat, millet and paddy, Gross wt not less than 70 kg.
General		not less than 2KW
Power Source		100% copper
Motor		220volt, 50Hz
voltage and frequency of motor		aperture : 1.2
Seive Diameter		Rice mill: at least 80 kg/hr
Capacity		Grain grinder: at least 130kg/hr
Roller Speed		Rice mill-at least 1500rev/min
Roller Diameter: rice mill		40mm
Types		Disc/Hammer types
Body Material		Mild Steel with enamel coated
Accessories		Electric wire along with Suitable MCB and switch
Warranty		1 year of warranty
<b>Corn sheller (single)</b>		
Make and model	any	
Power	at least 0.4 kw	
Motor	copper Coil 100%	
Electrical requirement	220 v, single phase	
Weight	20-30 kg	
Capacity	> 140 Kg/hr	
Roller /Tubes	Single	
Threshing rate	at least 95%	
Suitable for	Maize	
Warranty	1 year of Warranty from Manufacturers / Suppliers	

3

4

  
**Er. Balgopal Sigdel**  
 MEC No.: 228 Agriculture 'A'



5	<b>Corn sheller (double)</b>			
	Make and model	any		
	Power	at least 0.75 kw		
	Motor	copper Coil 100%		
	Rotor Diameter	around 590mm		
	Tube	double		
	Electrical requirement	220 v, single phase		
	Weight	>30 kg		
	Capacity	> 200 Kg/hr		
	Roller /Tubes	at least Double		
	Threshing rate	at least 95%		
	Suitable for	Maize		
Warranty	1 year of Warranty from Manufacturers / Suppliers			
6	<b>Multi Crop Thresher (Self Propelled)</b>			
	make, model,brand	make: 2025 or latest		
	Power	> 4 Kw		
	Weight	>40 kg		
	Fuel type	gasoline (petrol)		
	Capacity	> 500 Kg/hr		
	Threshing rate	95%		
	Suitable for	rice, wheat		
	Warranty	1 year of Warranty from Manufacturers / Suppliers		

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'



7	<p><b>Digital weighing balance 100 kg</b></p> <p>Digital Weighing Balance, suitable for weighing agricultural products , giving smooth economic performance.</p> <p>Stainless Steel (non-corrosive)</p> <p>Bright LED Digital Display</p> <p>100 kg</p> <p>All signs and instruction in an Digital balance shall be in English/Nepali</p> <p>Battery backup, auto zero tracking</p> <p>1 year of Warranty from Manufacturers / Suppliers</p> <p><b>Jab planter</b></p>	
8	<p>Its main application is for planting seeds, and in the case of a double-barrel type, applying fertilizer simultaneously</p> <p>Any</p> <p>Double</p> <p>Manually</p> <p>Seed and fertilizer</p> <p>1-3 seeds adjustable</p> <p>approx 2.5 kg</p> <p>Maize, bean etc.</p> <p>1 year of Warranty from Manufacturers / Suppliers</p>	

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'



9	<b>Power sprayer</b>			
	Make,model, brand	any		
	Rated power	at least 4.84±0.2 KW		
	vertical range	at least 13m		
	engine type	4 stroke-petrol		
	suction volume	at least 20 ltr/min		
Delivery pipe	at least 2*100 meter			
10	<b>Electric Chaff Cutter (Indian Type)</b>			
	Make,model, brand	any		
	General	self standing type		
	Operation	Electric and manual both		
	Blade material	High carbon steel		
	Transmission	Belt/chain		
	Weight	at least 90 kg		
	Rolla	3 Rolla		
	Number of blade	at least 2 blade		
	Blade	Should be covered		
	Rated power	at least 1440 RMP, at least 2HP motor		
	Feed material	Fodder, graas, straw, bamboo		
	Cutting capacity	at least 250kg/hr		
	Warranty	1 year of Warranty from Manufactures/Suppliers		

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'



Fully Covered Chaff Cutter			
Make,model, brand	any		
General	self standing type		
Operation	Electric		
Blade Cover	Chaff Cutter Blade Should be fully covered		
Blade Material	High Carbon Steel		
Other Body Material	Mild Steel		
Transmission	Belt/Chain		
Weight	40-55 kg		
Power	Electric Motor 2.2kw		
Rolla	at least 2 Rolla		
Number of Blade	At least 2		
Rated Power	2800 RPM		
Machine Feed	Grass , straw ,bamboo		
Cutting Capacity	at least 250 K g/hr		
Warranty	1 year of Warranty from Manufactures/Suppliers		
<b>Feed Mixture Machine</b>			
Make,model, brand	any		
Type	Cattle feed palleting machine		
Motor capacity	4 HP		
Material	Mild Steel		
Weight	60-80 kg		
System	Semi Automatic		
Warranty	1 year of Warranty from Manufactures/Suppliers		

11

12

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'



13	<b>Electric Milking Machine</b>			
	Make,model, brand	any		
	Power	0.75kw		
	Electric requirements	220v 50 Hz		
	Revolution	1425 RPM		
	Chasis	Galvanized		
	Vaccum pump	180l/min		
	Lubrication	Dry or oiled		
	Certification	ISO/CE		
	Warranty	2 years after sales, 5 years for service		
14	<b>Coffee Peeling Machine</b>			
	Make,model, brand	any		
	Capacity	150-200 Kg/hr		
	Weight	Approx 50 kg		
	Power requirement	220v - 240v		
15	<b>Coffee Huller/Sheller (disk type)</b>			
	Capacity	1 Hp		
	Make,model, brand	any		
	Capacity	100-130kg/hr		
	Weight	28kg		
	Power requirement	220v - 240v		
	Capacity	1.8kw		
	Capacity	100-130kg/hr		
	Weight	28kg		
	16	<b>Coffee Roaster Machine</b>		
Make,model, brand		any		
Batch Capacity		0.5kg-1.5 per drum		
Roasting time		10-15 min		
Power		Approx 5kw		
Electrical requirement		220v 50/60Hz		
Drum		Stainless steel		
Cooling time		1-2 min		

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'




<b>Diesel Mini Tiller</b>		
Rated Power	4-4.2 Kw	
Cultivator width	≥ 750mm	
Cultivator Depth	≥ 100mm	
Net Weight	≥ 100 kg	
Engine type	4-stroke, Single-cylinder, Force Air cooled, Diesel Engine	
Number of Speed	2 Fwd, 1 Rev	
Starting system	Manual Recoil	
Fuel Tank Capacity	at least 3.5 L	
Transmission type	Gear transmission	
Number of blade	24-32 tines	
Productivity	≥ 400 m <sup>2</sup> /hr	
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box	
Warranty	1 year of Warranty from Manufactures/Suppliers	

  
 Er. Balgopal Sigdel  
 NEC No.: 228 Agriculture 'A'



Diesel Mini Tiller	
Rated Power	5.6-6 Kw
Cultivator width	≥ 1000mm
Cultivator Depth	≥ 150mm
Net Weight	≥ 120 kg
Engine type	4-stroke, Single-cylinder, Force Air cooled, Diesel Engine
Number of Speed	2 Fwd, 1 Rev
Starting system	Manual Recoil
Fuel Tank Capacity	at least 3.5 L
Transmission type	Gear transmission
Number of blade	24-32 tines
Productivity	≥ 400 m <sup>2</sup> /hr
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufactures/Suppliers

  
Er. Balgopal Sigdel  
NEC No.: 228 Agriculture 'A'



Bed Maker minitiller		Make: 2025 or latest model ; Brand ; Model : any
Brand/model		
General	General purpose minitiller for dry and wet tillage and making bed, rear tilling and front traveling with standard design having gross vehicle weight not less than 125kg	
Bed making mechanism	ditching and furrow blades	
Engine	Single cylinder, Four stroke, Forced air cooled system, Oil batch type filler, Diesel Engine, Maximum power not less than 4KW at rated speed.	
Starting type	Recoil/ Electrical starter	
Transmission system	Gear drive( 1- Reverse, 2- Forward( both high and low) number of gears.	
Displacement(ml(cu.in))	not less than 296CC	
Tilling Depth	100mm or above	
Tilling width	750mm or above	
Fuel tank capacity	minimum 3.5 litres	
Blades	minimum 32 pieces	
Tyre	Standard size(4-8)	
Frame	MS material	
Colour	Standard	
Warranty	1 year of Warranty from Manufacturers / Suppliers	

Er. Balgopal Sigdel  
NEC No.: 228 Agriculture 'A'

677




Petrol Mini Tiller	
Rated Power	4 Kw
Cultivator width	≥ 750mm
Cultivator Depth	≥ 100mm
Net Weight	65 - 90 kg
Engine type	4-stroke, Single-cylinder, Force Air cooled, Petrol Engine
Number of Speed	2 Fwd, 1 Rev
Starting system	Manual recoil
Fuel Tank Capacity	at least 3.5 L
Transmission type	Gear transmission
Number of blade	24-32 tines
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufactures / Suppliers

*B.P.F.*  
Er. Balgopal Sigdel  
NEC No.: 228 Agriculture 'A'




Power Tiller (12 HP Diesel)	
Rated Power	9 Kw
Width	≥ 600mm
Net Weight	≥ 345kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system ( both)
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator / Hopper
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 18 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

  
 Er. Balgopal Sigdel  
 NEC No.: 228 Agriculture 'A'



Power Tiller (15 HP Diesel)	
Rated Power	at least 11.03 Kw
Width	≥ 900mm
Net Weight	≥ 360kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

  
 Er. Balgopal  
 NEC No.: 228 Agriculture 'A'



**Power Tiller (18 HP Diesel)**

Rated Power	at least 13.24 Kw
Width	≥ 900mm
Net Weight	≥ 375kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

23

*Er. Balgopal Sigdel*

**Er. Balgopal Sigdel**  
**NEC No.: 228 Agriculture 'A'**



**Power Tiller (20 HP Diesel)**

Rated Power	at least 14.92 Kw
Width	≥ 900mm
Net Weight	≥ 390kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Bore* Stroke	100*115 mm
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers


*Dya*  
**Er. Balgopal Sigdel**  
**NEC No.: 228 Agriculture 'A'**



Power Tiller (22 HP Diesel)	
Rated Power	at least 16.18 Kw
Width	≥ 900mm
Net Weight	≥ 400kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Bore* Stroke	100*115 mm
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers
<b>Paddy Harvester (Reaper) Self Propelled</b>	
Power	4kw
Cutting width	1200 mm
Min Cutting Height	≥ 50mm
Net Weight	>200 kg
Productivity	0.2-0.3 Ha/Hr
Placing Type	Sidewise and banded place
Starting system	Recoil or Recoil/Electric
Engine	Single Cylinder, air cooled, Diesel Engine
Suitable for	Paddy and wheat
Warranty	1 year of Warranty from Manufactures/Suppliers

25

26

  
 Er. Balgopal Sigdel  
 NEC No.: 228 Agriculture 'A'



S.N.	Name of Implements With Description	Technical Specification	Supplier's specification	Per Unit Rate (In Figures)	Per Unit Rate (in Words)
1	<b>Manual operated push seeder</b>				
	General	Manual operated push seeder, suitable for planting maize, giving smooth economic performance.			
	Number of rows	Single row			
	Seed Metering Mechanism	Plate type (seed plate with specific holes for maize seed)			
	seed spacing	Adjustable, typically 15 cm to 30 cm			
	Depth	2.5 cm - 3.5 cm			
	Hopper Capacity	2-5 kg			
	Wheel type	Ground wheel-driven (for metering): rubber wheels			
	Field Capacity	not less than 0.1 ha/hr			
	<b>Power Weeder</b>				
2	<b>Brand/model</b>	Make: 2025 or latest model ; Brand ; Model : any			
	General	A power weeder is used to remove weeds and till the soil efficiently, reducing manual effort and improving crop productivity.			
	Engine	Single cylinder, four-stroke, Petrol engine, Maximum power not less than 2 kW at rated speed.			
	Starting type	Recoil/ Electrical starter			
	Transmission system	Gear drive			
	Displacement(ml(cu.in))	not less than 50 CC			
	Fuel tank capacity	not less than 1 L			
	Blades	minimum 24			
	Tilling Depth	100mm or above			
	Tilling width	550 mm or above			
Warranty	1 year of warranty				

  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'  
**Er. Balgopal Sigdel**  
 NEC No.: 228 Agriculture 'A'